



M18 FUEL™

DRIVEN TO OUTPERFORM.™



FASTENING SOLUTIONS AND IMPACT WRENCH SELECTION GUIDE

Call MSC today to learn about
the latest Milwaukee solutions

800.645.7270 | mscdirect.com

Available Today At


MSC | BUILT
TO MAKE
YOU BETTER™



DRIVEN TO OUTPERFORM.

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. The redesign of the second generation M18 FUEL™ 1/2" High Torque Impact Wrench allows it to be more compact than its predecessor, while delivering the most powerful impact wrench in the industry for both fastening torque and nut-busting torque. The new 4-Mode DRIVE CONTROL™ with Bolt Removal Mode delivers even more control to the user in any application.

M18 FUEL™



MSC # 39624366
2767-22

M18 FUEL™ 1/2" High
Torque Impact Wrench
w/ Friction Ring

UP TO
1,400 FT-LBS
NUT-BUSTING
TORQUE

UP TO
2X FASTER
REMOVAL

MOST
COMPACT

LEADER IN CORDLESS IMPACT WRENCH SOLUTIONS

COMPACT IMPACT WRENCHES

MOST COMPACT

- Optimized to fit in tight spaces
- Ideal for applications that require less than 220 ft-lbs of torque



UP TO
220 FT.
LBS.
TORQUE

OVER
20%
MORE
RUN-TIME

4-MODE
DRIVE
CONTROL™

MSC # 36139723
2755B-22

MID-TORQUE IMPACT WRENCHES

MOST VERSATILE

- Covers the widest range of applications
- Ideal for light to medium fastening or removal needs



UP TO
600 FT-LBS.
NUT-BUSTING
TORQUE

UP TO
2"
SHORTER
LENGTH

UP TO
1.5 LBS.
LIGHTER

MSC # 33836750
2861-22

HIGH TORQUE IMPACT WRENCHES

MOST POWERFUL

- Complete pneumatic & corded replacement
- Industry's most powerful and compact high torque impact wrench
- 4-Mode DRIVE CONTROL™ w/ Bolt Removal Mode provides unmatched control



UP TO
1,400 FT-LBS.
NUT-BUSTING
TORQUE

UP TO
2X FASTER
REMOVAL

**MOST
COMPACT**

MSC # 39624366
2767-22

M18 FUEL™ ADVANTAGE

CORDED & PNEUMATIC COMMON USER FRUSTRATION



M18 FUEL™



CORDS / HOSES	Restricted Mobility Safety Hazard Potential Work Surface Damage	<ul style="list-style-type: none">✓ More Powerful than Pneumatic / Cordless & Corded Wrenches
GENERATORS / COMPRESSORS	Routine Maintenance Loud Noise Output	<ul style="list-style-type: none">✓ No Hoses / Cords✓ Maintenance Free✓ Reduced Noise Output
TOOLS	Daily / Weekly Maintenance Loud Noise Output Mobility Restricted by Hose Length	<ul style="list-style-type: none">✓ M12™ / M18™ Multi-Voltage Charger
COST (\$)	Overall Setup Cost (tools, compressor, hoses, fittings) Service Cost Fuel / Electric Cost to Operate Tools Average Warranty: 1-2 Years	<ul style="list-style-type: none">✓ Lower Cost of Ownership✓ 5-Year Tool Warranty✓ 3-Year (XC) Battery Warranty
COMPATIBILITY	Different Tools Require Different Adaptor / Hose Sizes	<ul style="list-style-type: none">✓ Battery Pack is Compatible with OVER 150 M18™ TOOLS



COMPACT IMPACT WRENCHES

	2754 Compact Impact	2755 / 2755B Compact Impact	ONE-KEY 2758 Compact Impact	ONE-KEY 2759 / 2759B Compact Impact
Anvil Type	3/8" Square w/ Friction Ring	1/2" Square w/ Pin Detent	3/8" Square w/ Friction Ring	1/2" Square w/ Pin Detent
Fastening Torque	210 ft-lbs	220 ft-lbs	210 ft-lbs	220 ft-lbs
Nut-Busting Torque	230 ft-lbs	240 ft-lbs	230 ft-lbs	240 ft-lbs
Tool Length	5.90"	6.10"	5.90"	6.10"
Tool Weight	4.0 lbs	4.2 lbs	3.3 lbs	4.1 lbs



MID-TORQUE IMPACT WRENCHES

	2860 Mid-Torque Impact	2861 Mid-Torque Impact
Anvil Type	1/2" Square w/ Pin Detent	1/2" Square w/ Friction Ring
Fastening Torque	450 ft-lbs	450 ft-lbs
Nut-Busting Torque	600 ft-lbs	600 ft-lbs
Tool Length	6.7"	6.7"
Tool Weight	5.3 lbs	5.3 lbs



HIGH TORQUE IMPACT WRENCHES

	2766 High-Torque Impact	2767 High-Torque Impact	2764 High-Torque Impact
Anvil Type	1/2" Square w/ Pin Detent	1/2" Square w/ Friction Ring	3/4" Square w/ Friction Ring
Fastening Torque	750 ft-lbs	1,000 ft-lbs	375 / 750 ft-lbs
Nut-Busting Torque	1,100 ft-lbs	1,400 ft-lbs	1,200 ft-lbs
Tool Length	8.1"	8.4"	9.25"
Tool Weight	7.1 lbs	7.5 lbs	7.6 lbs





PIN DETENT MOST COMMON USES

USER	APPLICATIONS	APPLICATION FREQUENCY	COMPACT	MID-TORQUE	HIGH-TORQUE
Electrician	Threaded Rod Anchors	Everyday	✓		
	Up to 7/8" Fasteners	Occasional (Weekly)	✓		
Plumber/Fitter	2" – 4" Grooved Joint Couplings	Everyday	✓		
	2" – 8" Grooved Joint Couplings	Everyday		✓	
	8" + Grooved Joint Couplings	Job Specific			✓
General Contractor	Up to 3/4" Lags and Anchors	Everyday		✓	
	Up to 1-1/4" Bolts	Occasional (Weekly)		✓	
	1-1/4" Bolts and Above	Job Specific			✓
Iron Worker	Up to 3/4" Lags and Anchors	Everyday		✓	
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Job Specific			✓
Power Utility	Up to 3/4" Lags and Anchors	Everyday		✓	
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Occasional (Weekly)			✓
Assembly	Up to 7/8" Bolts	Everyday	✓		
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Everyday			✓



FRICTION RING MOST COMMON USES

USER	APPLICATIONS	APPLICATION FREQUENCY	COMPACT	MID-TORQUE	HIGH-TORQUE
Automotive Mechanic	Up to 7/8" Bolts	Everyday		✓	
	Fastening/Removing Lug Nuts	Everyday		✓	
	Rusty/High Torque Bolts	Occasional (Weekly)			✓
Diesel Mechanic	Up to 7/8" Bolts	Everyday		✓	
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Everyday			✓
Assembly	Up to 7/8" Bolts	Everyday	✓		
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Occasional (Weekly)			✓
Solar Installers	Up to 7/8" Bolts	Everyday	✓		
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Job Specific			✓
Plumber/Fitter Iron Workers General Contractor	Up to 7/8" Bolts	Everyday	✓		
	Up to 1-1/4" Bolts	Everyday		✓	
	1-1/4" Bolts and Above	Occasional (Weekly)			✓



CUSTOMIZE. TRACK. MANAGE.



CUSTOMIZE





Customize your tool by dialing in performance

TRACK



Track your tool's location from anywhere



SECURE

Lock your tool and disable remotely

MANAGE



Manage your inventory your way



KITS AVAILABLE WITH ONE-KEY™



MSC # 36490712

2758-22

M18 FUEL™ w/ ONE-KEY™
3/8" Impact Wrench
w/ Friction Ring Kit



MSC # 36490688

2759-22

M18 FUEL™ w/ ONE-KEY™
1/2" Impact Wrench
w/ Pin Detent Kit



MSC # 36490662

2759B-22

M18 FUEL™ w/ ONE-KEY™
1/2" Impact Wrench
w/ Friction Ring Kit



M18

**PERFORMANCE DRIVEN
TRADE FOCUSED
SYSTEM WIDE**



NEW



M12 FUEL™

DRIVEN TO OUTPERFORM.



UP TO
60 FT-LBS
MAX TORQUE

MORE
ACCESS IN
TIGHT SPACES

GREATER
DURABILITY

1/4"
Ratchet Kit
2556-22

3/8"
Ratchet Kit
2557-22

1/2"
Ratchet Kit
2558-22

REDLITHIUM™
2.0



DRIVEN TO OUTPERFORM.

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers unrivaled™ performance in a compact structure and features three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack, and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, the M12 FUEL™ Ratchets are the most powerful 12V ratchets in the industry, the first true replacement for pneumatic ratchets, hoses and compressors.

M12 FUEL™

1 POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® Designed and Built Brushless Motor
- Outperforms All Leading Competitors



2 REDLINK PLUS™ INTELLIGENCE

- Most Advanced Electronic System on the Market
- Total System Communication with Overload Protection
- Built-in Fuel Gauge Displays Remaining Charge



3 REDLITHIUM™ 2.0 BATTERY PACK

- Up to 2X Run-Time
- Up to 2X More Recharges than Leading Competitor
- Operates Below -18° C / 0° F



UP TO
60 FT-LBS
MAX TORQUE

MORE
ACCESS IN
TIGHT SPACES

GREATER
DURABILITY

M12 FUEL™ ADVANTAGE

PNEUMATIC COMMON USER FRUSTRATION




M12 FUEL™



HOSES	Restricted Mobility Safety Hazard Potential Work Surface Damage	<input checked="" type="checkbox"/> More Powerful than Pneumatic – Industry's First Brushless Ratchets <input checked="" type="checkbox"/> No Hoses <input checked="" type="checkbox"/> Maintenance Free <input checked="" type="checkbox"/> Reduced Noise Output
COMPRESSORS	Routine Maintenance Loud Noise Output	<input checked="" type="checkbox"/> Lower Cost of Ownership <input checked="" type="checkbox"/> 5-Year Tool Warranty <input checked="" type="checkbox"/> 2-Year (CT) Battery Warranty
TOOLS	Daily / Weekly Maintenance Loud Noise Output Mobility Restricted by Hose Length	<input checked="" type="checkbox"/> Battery Pack is Compatible with OVER 80 M12™ TOOLS
COST (\$)	Overall Setup Cost (tools, compressor, hoses, fittings) Service Cost Electric Cost to Operate Compressors Average warranty: 1-2 Years	<input checked="" type="checkbox"/> Lower Cost of Ownership <input checked="" type="checkbox"/> 5-Year Tool Warranty <input checked="" type="checkbox"/> 2-Year (CT) Battery Warranty
COMPATIBILITY	Different Tools Require Different Adaptor / Hose Sizes	<input checked="" type="checkbox"/> Battery Pack is Compatible with OVER 80 M12™ TOOLS

UP TO 60 FT-LBS MAX TORQUE

INCREASED PRODUCTIVITY



- Replaces pneumatic ratchets
- POWERSTATE™ Brushless Motor delivers the power for high torque applications

MORE ACCESS IN TIGHT SPACES


SMALLER HEAD PROFILE




- Compact head design provides increased access in the tightest spaces

GREATER DURABILITY

LONGER TOOL LIFE



- POWERSTATE™ Brushless Motor is the industry's first brushless ratchets, delivering 2X the motor life over brushed motors
- Investment Cast steel yoke housing delivers unmatched durability for daily shop use



MODELS AVAILABLE

1/4" Ratchet



MSC # 39769989
2556-22

M12 FUEL™ 1/4" Ratchet Kit
Includes: (1) 2556-20 M12 FUEL™ 1/4" Ratchet, (2) M12™ REDLITHIUM™ 2.0 Compact Battery Packs, M12™ Charger and Contractor Bag

MSC # 39769963
2556-20

M12 FUEL™ 1/4" Ratchet (Tool-Only)
Includes: 2556-20 M12 FUEL™ 1/4" Ratchet

3/8" Ratchet



MSC # 39769955
2557-22

M12 FUEL™ 3/8" Ratchet Kit
Includes: 2557-20 M12 FUEL™ 3/8" Ratchet, (2) M12™ REDLITHIUM™ 2.0 Compact Battery Packs, M12™ Charger and Contractor Bag

MSC # 39653449
2557-20

M12 FUEL™ 3/8" Ratchet (Tool-Only)
Includes: 2557-20 M12 FUEL™ 3/8" Ratchet

1/2" Ratchet



MSC # 39769930
2558-22

M12 FUEL™ 1/2" Ratchet Kit
Includes: 2558-20 M12 FUEL™ 1/2" Ratchet, (2) M12™ REDLITHIUM™ 2.0 Compact Battery Packs, M12™ Charger and Contractor Bag

MSC # 39769948
2558-20

M12 FUEL™ 1/2" Ratchet (Tool-Only)
Includes: 2558-20 M12 FUEL™ 1/2" Ratchet





#1 SUBCOMPACT SYSTEM ON THE MARKET



1/4" Ratchet	2556	3/8" Ratchet	2557	1/2" Ratchet	2558
DESCRIPTION		DESCRIPTION		DESCRIPTION	
Anvil Type	1/4" Square	Anvil Type	3/8" Square	Anvil Type	1/2" Square
Max Torque	40 ft-lbs	Max Torque	55 ft-lbs	Max Torque	60 ft-lbs
RPM	0 - 250	RPM	0 - 190	RPM	0 - 175
Length	11.2"	Length	11.9"	Length	12.5"
Weight	2.3 lbs	Weight	2.8 lbs	Weight	3.1 lbs

INDUSTRY'S BEST COVERAGE

Service Anywhere | Fast Turn Times for Everyone | Best Warranty in Industry



SERVICE ANYWHERE

Thousands of convenient service locations across the U.S.

- 19 Factory Service Centers
- 8,000 Drop off locations with eService
- Tote programs to meet large end-user needs
- Hundreds of Authorized Service Centers

FAST TURN TIMES FOR EVERYONE

Fast, efficient repairs for all users.

- The most flexible and efficient service network in the industry ensures consistent turn times, no-matter the size of the user
- Factory-trained technicians that repair only MILWAUKEE® tools

BEST WARRANTY IN INDUSTRY



**POWER
TOOLS**



**XC
BATTERIES**



**COMPACT
BATTERIES**



LIFESTYLE



**AUTOMOTIVE
HAND
TOOLS**



**HAND
TOOLS**

TOOL REPAIR OPTIONS

1



eSERVICE

The 24/7 solution for quick, convenient repairs; best for smaller tool quantities

SUBMIT INFO



Fill out tool and user information at milwaukeetool.com/eservice

PRINT LABEL



Print a free FedEx shipping label for the Milwaukee Tool repair facility

GET TOOL



Your repaired tool will be returned directly to you – no need to pick it up

2

FACTORY SERVICE CENTERS

- Fast turn-around: get your tool back in 7 – 10 days
- Repairs under warranty are covered at no charge
- Repairs performed by factory-trained technicians are done using only genuine MILWAUKEE® parts
- Refer to back page for Factory Service Center locations



3

AUTHORIZED SERVICE CENTERS

- Hundreds of locations throughout the U.S.
- Repairs under warranty are covered at no charge
- Repairs performed by factory-trained technicians using only genuine MILWAUKEE® parts
- For Authorized Service Center locations, refer to milwaukeetool.com/service/find-a-service-center

IS MY TOOL COVERED UNDER WARRANTY?

YES

WARRANTY SERVICE:

- Free repairs or replacements for MILWAUKEE® products defective in material or workmanship
- Qualifying products must be within their specific warranty period

NO

LIGHTNING MAX REPAIR:

Speed: Repairs in 7 – 10 days
Pay Less Not More: Guaranteed to never pay more than the quoted Lightning Max Repair price
Reliability: All repairs are serviced by experienced, certified factory technicians
Quality: Only genuine MILWAUKEE® parts used

Visit milwaukeetool.com/warranty for more information



milwaukeetool.com

Call MSC today to learn about
the latest Milwaukee solutions

800.645.7270 | mscdirect.com

Available Today At

MSC | BUILT
TO MAKE
YOU BETTER™